



SAOPŠTENJE

FIRST RELEASE



Molimo korisnike da prilikom upotrebe podataka obavezno navedu izvor
Users are kindly requested to mention the data source

GODINA / YEAR VIII

SARAJEVO 24. 05. 2013.

BROJ / NUMBER: 02

ŠUMARSTVO

Forestry

PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA U BIH PREMA ASORTIMANU U I KVARTALU 2013.

PRODUCTION AND SALES OF FOREST ASSORTMENTS IN BOSNIA AND HERZEGOVINA IN 1ST QUARTER 2013

Ukupna proizvodnja šumskih sortimenata u Bosni i Hercegovini u prvom kvartalu 2013. godine veća je za 7,95% u odnosu na isti period 2012. godine. Proizvodnja sortimenata četinarskih vrsta drveća povećana je za 31,26% dok je proizvodnja sortimenata lišćarskih vrsta manja za 5,77%. Proizvodnja trupaca četinara povećana je za 29,76% dok proizvodnja trupaca lišćara bilježi mali rast od 0,25%. Pad proizvodnje od 1,71% bilježi se kod lišćarskog ogrijevnog drveta u odnosu na prvi kvartal 2012. godine. Najveći porast proizvodnje ima jamsko drvo četinara od 56,51% i prostorno drvo četinara od 36,70%. Najveći pad proizvodnje se bilježi kod prostornog drveta lišćara od 58,15%, ogrijevnog drveta četinara od 56,91% i ostalog dugog drveta četinara od 55,41%. Proizvodnja ostalog grubo obrađenog drveta nije zabilježena u prvom kvartalu 2013. godine. U slučaju ogrijevnog drveta četinara i ostalog grubo obrađenog drveta radi se o malim količinama proizvedenih sortimenata čije variranje nema uticaja na promjene u ukupnoj proizvodnji šumskih sortimenata.


Total production of forest assortments in Bosnia and Herzegovina in 1st quarter of 2013 has increased for 7,95% compared to the same period in 2012. The production of coniferous (softwood) assortments is, for 31,26% higher while production of broadleaf (hardwood) assortments decreases for 5,77%. Production of coniferous logs is 29,76% higher while production of broadleaf logs records minor rise of 0,25%. Production decrease, of 1,71% is recorded for broadleaf fuel wood compared to 1st quarter of 2012. Highest production increase has coniferous mining wood of 56,51% and coniferous cordwood of 36,70%. Highest reduction in production of 58,15% has broadleaf cordwood, coniferous fuelwood of 56,91% and coniferous other long wood of 55,41%. Production of other roughly worked wood was not recorded in 1st quarter of 2013. Coniferous fuelwood and other roughly worked wood are produced in small quantities and their changes in production do not affect variations in total production of forest assortments.

Tabela 1. PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA PREMA ASORTIMANU U I KVARTALU 2013.
 Table 1. PRODUCTION AND SALE OF FOREST ASSORTMENTS IN 1ST QUARTER OF 2013

	Proizvodnja (Production)			Prodaja (Sale)			
	I kvartal 1 st quarter 2012.	I kvartal 1 st quarter 2013.	Indeksi Indicies I-III 2013 I-III 2012	I kvartal 1 st quarter 2012.	I kvartal 1 st quarter 2013.	Indeksi Indicies I-III 2013 I-III 2012	
	m ³			m ³			
UKUPNO	559.913	604.412	107,95	429.213	479.187	111,64	TOTAL
ČETINARA	207.456	272.301	131,26	155.505	228.258	146,78	CONIFEROUS
LIŠĆARA	352.457	332.111	94,23	273.708	250.929	91,68	BROAD LEAF
Trupci četinarara	149.358	193.810	129,76	121.189	167.537	138,24	Logs, coniferous
Jamsko drvo četinarara	15.426	24.143	156,51	9.721	21.123	217,29	Mining wood, coniferous
Ostalo dugo drvo četinarara	4.077	1.818	44,59	1.119	996	89,01	Other long wood, coniferous
Prostorno drvo četinarara	38.349	52.424	136,70	23.117	38.497	166,53	Cordwood, coniferous
Trupci lišćara	131.368	131.690	100,25	114.415	115.668	101,10	Logs, broadleaf
Jamsko drvo lišćara	967	772	79,83	950	736	77,47	Mining wood, broadleaf
Ostalo dugo drvo lišćara	4.830	3.600	74,53	2.650	1.391	52,49	Other long wood, broadleaf
Prostorno drvo lišćara	27.566	11.537	41,85	21.556	8.484	39,36	Cordwood, broadleaf
Ogrijevno drvo četinarara	246	106	43,09	359	105	29,25	Fuelwood, coniferous
Ogrijevno drvo lišćara	187.715	184.512	98,29	134.125	124.650	92,94	Fuelwood, broadleaf
Ostalo grubo obrađeno drvo	11	0	0,00	12	0	0,00	Other wood, roughly worked


Grafikon 1. Proizvodnja šumskih sortimenata u Bosni i Hercegovini u 1000 m³ - I kvartal 2012. i 2013. godine

Production of forest assortments in Bosnia and Herzegovina in 1000 m³. 1st quarter of 2012 and 2013



Grafikon 2. Procentualno učešće pojedinih sortimenata u ukupnoj proizvodnji šumskih sortimenata u I kvartalu 2013. godine

Percentage participation of different assortments in total production of forest assortments in 1st quarter 2013



Metodološka objašnjenja

Podaci o proizvodnji šumskih sortimenata, obrađeni u ovom saopštenju, urađeni su na osnovu rezultata obrade entitetskih zavoda za statistiku iz redovnog mjesečnog istraživanja.

Mjesečne izvještaje podnose sva preduzeća koja se bave stalnom proizvodnjom šumskih sortimenata iz šuma u državnoj svojini, bez obzira da li im je iskorištavanje šuma osnovna ili sporedna djelatnost.

Podacima je obuhvaćena samo proizvodnja šumskih sortimenata iz državnih šuma, dok šumski sortimenti proizvedeni u šumama na koje postoji pravo svojine nisu uključeni.

Iskazane količine predstavljaju neto drvenu masu sortimenata izraženu u zapremninskim metrima.

Četinari su vrste drveća iz klase golosjemenica (Gymnospermae), pretežno iz porodice Pinaceae. Ovdje spadaju autohtone, komercijalne vrste drveća, kao što su jela (*Abies alba*), smrča (*Picea abies*), te bijeli (*Pinus sylvestris*) i crni bor (*Pinus nigra*). Drvo četinarara ima jednostavniju građu i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *softwood*.

Lišćari su vrste drveća iz klase skrivenosjemenica (Angiospermae). Ovdje spadaju autohtone, komercijalne vrste drveća lišćara, kao što su: bukva (*Fagus sylvatica*), hrast kitnjak (*Quercus petraea*), te vrste plemenitih lišćara iz rodova *Fraxinus* (jasen), *Acer* (javor), *Ulmus* (brijest) i *Prunus avium* (divlja trešnja) i ostalih tvrdih i mekih lišćara. Drvo lišćara je složenije građe u odnosu na drvo četinarara i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *hardwood*.

Trupci su šumski drveni sortimenti odgovarajućih fizičkih i mehaničkih svojstava, namijenjeni za dalju mehaničku preradu (piljenje, rezanje ili ljuštenje).

Jamsko drvo obuhvata šumske drvene sortimente povoljnih fizičkih i mehaničkih svojstava čiji se prirodni oblik, dimenzije i svojstva koriste za izgradnju i održavanje jamskih kopova i rudarskih okna. Može se upotrebljavati i za krovne konstrukcije.

Ostalo dugo drvo obuhvata tehničko drvo čiji se prirodni oblik, dimenzije i svojstva koriste za proizvodnju TT stubova, stubova za skele, šipova, jarbola i sl.

Prostorno drvo obuhvata drvo lošijih tehničkih karakteristika, oblo ili cijepano koje se koristi u hemijskoj preradi za proizvodnju celuloze, drvenjače, drvene vune, tanina i sl.

Ogrijevno drvo je drvo namijenjeno neposredno za ogrijev ili proizvodnju drvenog uglja.

Ostalo grubo obrađeno drvo obuhvata sitno tehničko drvo kao što su stubovi za hmelj ili lozu, motke, kolje, štapovi, ručke, obruči, pletarski štapovi, pruće sl.

Notes on methodology

The data presented here cover only production of forest products manufactured out of the resources from the state-owned forest. Forest products from private forests are not covered here.

The given quantities represent net volume measured in cubic meters

The data on production of forest products presented here have been prepared on a basis of data provided by entity statistical offices underlying the regular monthly survey results.

Monthly reports are provided by all companies performing their business activities in the forestry sector and permanently producing forest products.

Coniferous are tree species from systematic class of naked-seed plants (Gymnospermae), mostly from Pinaceae tree family. Here belong domestic commercial tree species: european Fir (*Abies alba*), Spruce (*Picea abies*), Scots Pine (*Pinus sylvestris*) and European Black Pine (*Pinus nigra*). Coniferous wood is less complex in structure and in international classification, regardless its mechanical properties, it is classified as *softwood*

Broad leaf are tree species from systematic class of covered-seed plants (Angiospermae). Here belong domestic commercial species: Beech (*Fagus sylvatica*), Sessile Oak (*Quercus petraea*), so called noble broad leaf trees like species from genera *Fraxinus* (Ash), *Acer* (Maple), *Ulmus* (Elm), *Prunus avium* (Wild Cherry) and hard and soft broad leaf tree species. Broad leaf wood is more complex in structure than coniferous wood and in international classification, regardless its mechanical properties, it is classified as *hardwood*.

Logs are forestry wood products with proper physical and mechanical properties, intended for further mechanical processing (sawing, slicing or peeling).

Mining wood include forestry wood products with proper physical and mechanical properties which natural shape, dimensions and properties are used for construction and maintenance of mining pits. It could also be used for roof constructions.

Other long wood include technical wood which natural shape, dimensions and properties are used for manufacture of utility poles, scaffold poles, foundation poles, masts etc.

Cordwood include wood of bad technical characteristics, round or split, used in chemical processing for production of chemical and mechanical pulp, wooden wool, tannin etc.

Fuelwood is wood intended for heating or production of charcoal.

Other wood, roughly worked is small technical wood like hop and vine poles, other poles, pickets, sticks, handles, wooden rims, brushwood etc.

Izdaje i štampa: Agencija za statistiku BiH, Sarajevo, Zelenih beretki 26
Published and printed by Agency for Statistics of BiH, Sarajevo, Zelenih beretki 26
Telefon / Phone: +387 33 22 06 26,
Fax / Phone: +387 33 22 06 22,
E-mail / E-mail: bhas@bhas.ba

Saopštenje sastavio / Prepared by: Fuad Bahtanović, Boro Kovačević
Odgovora: Zdenko Milinović, direktor
Authorized: Zdenko Milinović, director
Tiraž / Circulation: 200

Periodika izlaženja / Periodicity: kvartalno / quarterly
Podaci iz ovog saopštenja objavljuju se i na internet.
Data of First Release are also published on the internet.
Internet stranica / Web site: www.bhas.ba
