



SAOPŠTENJE

FIRST RELEASE



Molimo korisnike da prilikom upotrebe podataka obavezno navedu izvor
Users are kindly requested to mention the data source

GODINA / YEAR IX

SARAJEVO, 20. 11. 2014.

BROJ/ NUMBER 5

ŠUMARSTVO

Forestry

PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA U BiH PREMA ASORTIMANU U III KVARTALU 2014.

PRODUCTION AND SALES OF FOREST ASSORTMENTS IN BOSNIA AND HERZEGOVINA IN 3rd QUARTER 2014

Ukupna proizvodnja šumskih sortimenata u Bosni i Hercegovini u trećem kvartalu 2014. godine manja je za 14,19% u odnosu na isti period 2013. godine. Proizvodnja sortimenata četinarskih vrsta drveća smanjena je za 10,15% dok je proizvodnja sortimenata lišćarskih vrsta manja za 18,09%. Proizvodnja trupaca četinara smanjena je za 9,34% dok proizvodnja trupaca lišćara bilježi pad od 14,82%. Pad proizvodnje od 19,57% u odnosu na treći kvartal 2013. godine bilježi se i kod ogrijevnog drveta lišćara. Pad proizvodnje bilježi se i kod prostornog drveta četinara od 8,69% kao i kod prostornog drveta listača od 13,11%. Najveći pad je u proizvodnji ostalog dugog drveta četinara od 27,38% i kod jamskog drveta lišćara od 34,94%. Kod proizvodnje ostalog grubo obrađenog drveta i ogrijevnog drveta četinara radi se o malim količinama sortimenata čije variranje u proizvedenim količinama nema uticaja na promjene u ukupnoj proizvodnji šumskih sortimenata.


Total production of forest assortments in Bosnia and Herzegovina in 3rd quarter of 2014 has decreased for 14,19% compared to the same period in 2013. The production of coniferous (softwood) assortments is, for 10,15% lower while the production of broadleaf (hardwood) assortments decreases for 18,09%. Production of coniferous logs is 9,34% lower while production of broadleaf logs records decrease of 14,82%. Decrease of 19,57%, compared to 3rd quarter of 2013 has also been recorded in broadleaf fuelwood production. Decrease is also evident in production of coniferous cordwood of 8,69% and in broadleaf cordwood of 13,11%. The highest production decline records production of coniferous other long wood of 27,38% and broadleaf mining wood of 34,94%. Other roughly worked wood and coniferous fuelwood are produced in small quantities and changes in produced quantities do not affect variations in total production of forest assortments.

Tabela 1. PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA PREMA ASORTIMANU U III KVARTALU 2014.

Table 1. PRODUCTION AND SALE OF FOREST ASSORTMENTS IN 3rd QUARTER OF 2014


	Proizvodnja (Production)			Prodaja (Sale)			
	III kvartal 3 rd quarter 2013 .	III kvartal 3 rd quarter 2014.	Indeksi <i>Indicies</i> VII-IX 2014. VII-IX 2013.	III kvartal 3 rd quarter 2013.	III kvartal 3 rd quarter 2014.	Indeksi <i>Indicies</i> VII-IX 2014. VII-IX 2013.	
	m ³			m ³			
UKUPNO	1.288.520	1.105.618	85,81	1.282.523	1.099.837	85,76	TOTAL
ČETINARA	632.130	567.962	89,85	576.210	521.149	90,44	CONIFEROUS
LIŠĆARA	656.390	537.656	81,91	706.313	578.688	81,93	BROAD LEAF
Trupci četinarara	396.775	359.721	90,66	361.771	312.964	86,51	Logs, coniferous
Jamsko drvo četinarara	40.887	31.294	76,54	37.017	30.404	82,14	Mining wood, coniferous
Ostalo dugo drvo četinarara	5.048	3.666	72,62	4.279	3.456	80,77	Other long wood, coniferous
Prostorno drvo četinarara	189.148	172.707	91,31	172.890	172.796	99,95	Cordwood, coniferous
Trupci liščara	180.834	154.031	85,18	185.127	156.120	84,33	Logs, broadleaf
Jamsko drvo liščara	1.162	756	65,06	1.182	954	80,71	Mining wood, broadleaf
Ostalo dugo drvo liščara	4.723	3.441	72,86	4.601	3.536	76,85	Other long wood, broadleaf
Prostorno drvo liščara	26.374	22.916	86,89	28.708	22.445	78,18	Cordwood, broadleaf
Ogrijevno drvo četinarara	272	574	-	250	1.522	-	Fuelwood, coniferous
Ogrijevno drvo liščara	443.068	356.363	80,43	486.370	395.440	81,30	Fuelwood, broadleaf
Ostalo grubo obrađeno drvo	229	149	-	328	200	-	Other wood, roughly worked

Grafik 1. Proizvodnja šumskih sortimenata u Bosni i Hercegovini u 1000 m³ - III kvartal 2013. i 2014. god.
Production of forest assortments in Bosnia and Herzegovina in 1000 m³ - 3rd quarter of 2013 and 2014



Grafik 2. Procentualno učešće pojedinih sortimenata u ukupnoj proizvodnji šumskih sortimenata u III kvartalu 2014. god.

Percentage participation of different assortments in total production of forest assortments in 3rd quarter of 2014



Metodološka objašnjenja

Podaci o proizvodnji šumskih sortimenata, obrađeni u ovom saopštenju urađeni su na osnovu rezultata obrade entitetskih zavoda za statistiku iz redovnog mjesečnog istraživanja.

Mjesečne izvještaje podnose sva preduzeća koja se bave stalnom proizvodnjom šumskih sortimenata iz šuma u državnoj svojini, bez obzira da li im je iskorištavanje šuma osnovna ili soredna djelatnost.

Podacima je obuhvaćena samo proizvodnja šumskih sortimenata iz državnih šuma, dok šumski sortimenti proizvedeni u šumama na koje postoji pravo svojine nisu uključeni.

Iskazane količine predstavljaju neto drvenu masu sortimenata izraženu u zapremninskim metrima.

Četinari su vrste drveća iz klase golosjemenica (Gymnospermae), pretežno iz porodice Pinaceae. Ovdje spadaju autohtone, komercijalne vrste drveća kao što su jela (*Abies alba*), smrča (*Picea abies*) te bijeli (*Pinus sylvestris*) i crni bor (*Pinus nigra*). Drvo četinarara ima jednostavniju građu i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *softwood*.

Lišćari su vrste drveća iz klase skrivenosjemenica (Angiospermae). Ovdje ubrajamo autohtone, komercijalne vrste drveća lišćara kao što su: bukva (*Fagus sylvatica*), hrast kitnjak (*Quercus petraea*) te vrste plemenitih lišćara iz rodova *Fraxinus* (jasen), *Acer* (javor), *Ulmus* (brijest) i *Prunus avium* (divlja trešnja) i ostalih tvrdih i mekih lišćara. Drvo lišćara je složenije građe u odnosu na drvo četinarara i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *hardwood*.

Trupci su šumski drveni sortimenti odgovarajućih fizičkih i mehaničkih svojstava, namijenjeni za dalju mehaničku preradu (piljenje, rezanje ili ljuštenje).

Jamsko drvo obuhvata šumske drvene sortimente povoljnih fizičkih i mehaničkih svojstava čiji se prirodni oblik, dimenzije i svojstva koriste za izgradnju i održavanje jamskih kopova i rudarskih okna. Može se upotrijebiti i za krovne konstrukcije.

Ostalo dugo drvo obuhvata tehničko drvo čiji se prirodni oblik, dimenzije i svojstva koriste za proizvodnju TT stubova, stubova za skele, šipova, jarbola i sl.

Prostorno drvo obuhvata drvo lošijih tehničkih karakteristika, oblo ili cijepano koje se koristi u hemijskoj preradi za proizvodnju celuloze, drvenjače, drvene vune, tanina i sl.

Ogrijevno drvo je drvo namijenjeno neposredno za ogrijev ili proizvodnju drvenog uglja.

Ostalo grubo obrađeno drvo obuhvata sitno tehničko drvo kao što su stubovi za hmelj ili lozu, motke, kolje, štapovi, ručke, obruči, pletarski štapovi, pruće i sl.

Notes on methodology

The data on production of forest products presented here have been prepared on a basis of data provided by entity statistical offices underlying the regular monthly survey results.

Monthly reports are provided by all companies performing their business activities in the forestry sector and permanently producing forest products.

The data presented here cover only production of forest products manufactured out of the resources from the state-owned forest. Forest products from private forests are not covered here.

The given quantities represent net volume measured in cubic meters

Coniferous are tree species from systematic class of naked-seed plants (Gymnospermae), mostly from Pinaceae tree family. Here belong domestic commercial tree species: european Fir (*Abies alba*), Spruce (*Picea abies*), Scots Pine (*Pinus sylvestris*) and European Black Pine (*Pinus nigra*). Coniferous wood is less complex in structure and in international classification, regardless its mechanical properties, it is classified as *softwood*

Broad leaf are tree species from systematic class of covered-seed plants (Angiospermae). Here belong domestic commercial species: Beech (*Fagus sylvatica*), Sessile Oak (*Quercus petraea*), so cold noble broad leaf trees like species from genera *Fraxinus* (Ash), *Acer* (Maple), *Ulmus* (Elm), *Prunus avium* (Wild Cherry) and hard and soft broad leaf tree species. Broad leaf wood is more complex in structure than coniferous wood and in international classification, regardless its mechanical properties, it is classified as *hardwood*.

Logs are forestry wood products with proper physical and mechanical properties, intended for further mechanical processing (sawing, slicing or peeling).

Mining wood include forestry wood products with proper physical and mechanical properties which natural shape, dimensions and properties are used for construction and maintenance of mining pits. It could also be used for roof constructions.

Other long wood include technical wood which natural shape, dimensions and properties are used for manufacture of utility poles, scaffold poles, foundation poles, masts etc.

Cordwood include wood of bad technical characteristics, round or split, used in chemical processing for production of chemical and mechanical pulp, wooden wool, tannin etc.

Fuelwood is wood intended for heating or production of charcoal.

Other wood, roughly worked is small technical wood like hop and vine poles, other poles, pickets, sticks, handles, wooden rims, brushwood etc.

Izdaje i štampa Agencija za statistiku Bosne i Hercegovine, 71000 Sarajevo, Zelenih beretki 26
Published and printed by the Agency for Statistics of the Bosnia and Herzegovina, 71000 Sarajevo, Zelenih beretki 26

Telefon/Phone: +387 (33) 911 911 · Telefaks/Telefax: +387 (33) 220 622
Elektronska pošta/E-mail : bhas@bhas.ba · Internetska stranica/Web site: <http://www.bhas.ba>

Odgovara direktor Zdenko Milinović
Person responsible: Zdenko Milinović, Director General

Saopštenje pripremili: Fuad Bahtanović i Boro Kovačević
Prepared by: Fuad Bahtanović and Boro Kovačević
Periodika izlaženja: kvartalno / Periodicity: quarterly
Štampa: 150 primjeraka / 150 copies printed

Podaci iz ovog saopštenja objavljuju se i na internetu
First Release data are also published on the Internet
